June 2024

# QIAGEN Digital Insights Admin Tool Quick Start Guide



# Contents

| Introduction  |
|---|
| Access to QDIAT   |
| How to use QDIAT  |
| User Management6  |
| Administrators  |
| Add New Users to Licensing Group6                         |
| Users in License Group9                                   |
| Remove Users from License Group to End Access9            |
| License Management  |
| Sessions  |
| Viewing who is currently logged into your license group11 |
| Terminating an active session11                           |
| Viewing failed sessions12                                 |
| Usage Monitoring13  |
| License Usage13   |
| User Usage for Sample Upload14                            |
| User Groups15   |
| Administrators  |
| My User Groups16  |
| Users in User Group16                                     |
| Add Users to User Group17                                 |
| Remove Users from User Group18                            |
| User Features   |
| Features19  |
| Manage Users with features20                              |
| SSO Configuration   |
| Prerequisites22   |
| SSO Config: step 124                                      |
| SSO Config: step 224                                      |
| SSO Config: step 325                                      |

| How to navigate between the SSO configuration steps                  | 26 |
|--|----|
| Changes to current support process for authentication related issues | 26 |

# Introduction

QIAGEN Digital Insights Admin Tool (QDIAT) is a platform that allows you to:

- 1. Manage your users and monitor your license(s)/sessions/usage
- 2. Single Sign-on (SSO) configuration

This platform manages the access to the following products

- HGMD Human Genetic Mutation Database -<u>https://my.qiagendigitalinsights.com/bbp/</u>
- HSMD Human Somatic Mutation Database -<u>https://my.giagendigitalinsights.com/bbp/</u>
- COSMIC Catalogue of Somatic Mutations in Cancer -<u>https://my.qiagendigitalinsights.com/bbp/</u>
- PGMD PharmacoGenomic Mutation Database <u>https://my.giagendigitalinsights.com/bbp/</u>
- ANNOVAR https://my.giagendigitalinsights.com/bbp/
- Genome Trax<sup>™</sup> <u>https://my.aiagendigitalinsights.com/bbp/</u>
- QCI QIAGEN Clinical Insights <u>https://variants.ingenuity.com/qci</u>
- IPA Ingenuity Pathway Analysis <u>https://analysis.ingenuity.com/pa</u>

QDIAT allows you to look up which licenses users have within your organization, control access to products by adding or removing users, look up who is currently logged in, and monitor when licenses expire.

# Access to QDIAT

If you are a license coordinator for any of these products, log in at <u>https://apps.ingenuity.com/iat</u> with your username and password.

If you are the license coordinator and cannot access QDIAT please contact customer support via <u>TS-Bioinformatics@qiagen.com</u> and request a QDIAT license.

Please note, a license to your product can be managed by more than one administrator. If you wish to add/remove administrators, you must contact Customer Support. Administrators do not need to be members of the License Group (individual users that have access to a licensed product).

# How to use QDIAT

**License Administrator/License Coordinator**: this is the administrator at the institution who is authorized to make changes to the licenses/users.

Once logged in, QDIAT displays on the home page the list of active licensing groups. From here you can administer more than one product license. To do this, you will need to choose which license you want to access after you log into QDIAT. In the example shown below, the license administrator can manage two different licenses, and must select one before continuing.

| QIAGEN Digital Insights Admin Tool | Home | SSO configuration | mihaela.suteu@qiagen.com | Logout |
|------------------------------------|------|-------------------|--------------------------|--------|
|                                    |      |                   |                          |        |
| Home                               |      |                   |                          |        |
| My Licensing Groups                |      |                   |                          |        |
| QIAGEN - IPA - Internal            |      |                   |                          |        |
| QIAGEN - QCI - Internal            |      |                   |                          |        |
| QIAGEN - MyQDI - Internal          |      |                   |                          |        |

Once a license group is selected, the top menu will display the following tabs: Users and "QIAGEN Digital Insights" with the following submenu: Licenses, Sessions, Usage, User Groups and User Features.

| QIAGEN Digital Insights Admin Tool Users             | mihaela.suteu@qiagen.com                          | Logout |  |
|--|---|--------|--|
|  | Licenses Sessions Usage User Groups User Features |        |  |
| Home / QIAGEN - QCI - Internal / QIAGEN Clinical Int | ight Interpret / Licenses                         |        |  |
| Licenses   |   |        |  |

## User Management

In the Users tab for QDIAT you will find 3 sections; (1) Administrators, (2) Add New Users to Licensing Group, and (3) Users in Licensing Group. These sections are described in more detail below.

| AGEN Digital Insights Admin Tool   | sers About   |                                | mihaela.suteu       | @qiagen.com Log |
|--|--|--------------------------------|---------------------|-----------------|
| Home / QIAGEN - QCI - Internal   | All users listed in the Users tab<br>belong to the license groups and<br>have access to all applications<br>shown. |                                |                     |                 |
| Add Users to Licensing Group 2   |  | Administrators 1               |                     |                 |
| Search Users Create Account  |  | Username                       | Name                | Admin Type      |
| Search and add existing accounts to the licensing  | group.   | christine.bueno@qiagen.com     | Christine Bueno     | SSO             |
| User account email address or addresses  |  | cristian.balint@qiagen.com     | Cristian Balint     | SSO             |
| Enter one or more email addresses or search on o   | one partial address.   | mihaela.suteu@qiagen.com       | Mihaela Suteu       | License         |
| Search   |  | roslen.anacleto@qiagen.com     | Roslen Anacleto     | SSO             |
|  |  | sachin.pattanshetty@qiagen.com | Sachin Pattanshetty | SSO             |
|  |  | stuart.tugendreich@qiagen.com  | Stuart Tugendreich  | SSO             |
| Users in Licensing Group 3<br>Show only users with SSO Export users as: 2<br>Show 10 ventries<br>Search Username | XLS   XLSX   | Search Name                    |                     | Search Date     |
| Username   | *  | Name                           | \$                  | Added Date      |
| aaron.mandel@qiagen.com  |  | Aaron Mandel                   |                     | May 19 2020     |
| aarthi.goverdhan@qiagen.com  |  | Aarthi Goverdhan               |                     | Apr 25 2023     |
| aavishkar.ghosh@qiagen.com   |  | Aavishkar Ghosh                |                     | Sep 20 2022     |
| s://apps-pdm.ingenuity.com/iat/app/users/view/338426   | 3  | Alexandra Matei                |                     | Jan 26 2023     |



#### Administrators

Displays a list of administrators that can manage the access of users to the product. This list is managed by Customer Support. If you wish to add/remove administrators, you must contact Customer Support via <u>TS-Bioinformatics@qiagen.com</u>.



Add New Users to Licensing Group

It is possible that users within your organization possess licenses for other QIAGEN Digital Insights products and are already registered within the QIAGEN licensing system. If this is the case, you can simply search in the "Add User to Group" section to see if the user has an account, as shown below. Note that in the screenshot below the search is performed using the organizational email address.

| Add Users to Lie  | ensing Group                                      |  |
|-------------------|---|--|
| Search Users      | Create Account                                    |  |
| Search and add e  | visting accounts to the licensing group.          |  |
| Dominic.John@     | qiagen.com  |  |
| Enter one or more | email addresses or search on one partial address. |  |
| Search 💦          |   |  |

If the user exists within QIAGEN's licensing system a window will pop-up displaying the user details. You can then select the user to be added to this license group. Click on "Save Changes" to finalize the process and user will receive a "Welcome" email with a link to access this product.

| Add Users To L     | icensing Group   |                     |
|--------------------|--|---------------------|
| Select the users t | hat will be added to the licensing group QIAGEN Internal - MyQDI |                     |
| Show 10 🗸          | entries  |                     |
| Ś                  | Username   | Name 🛓              |
|                    | dominic.john@qiagen.com  | Dominic John        |
| Showing 1 to 1 of  | 1 entries  | Previous 1 Next     |
|                    |  |                     |
|                    |  | Cancel Save Changes |

If the user is not found, you can create a user account for that user. To add a user to your license group, click on "Create Account", fill in the required information, and click "Add to License".

| Add Users to Lic   | censing Group            |                             |       |
|--|--------------------------|-----------------------------|-------|
|  |                          |                             |       |
| Search Users   | Create Account           |                             |       |
| Create new accour  | nt and add it to the lie | censing group.              |       |
| Institutional Email  | Address                  |                             |       |
| Enter Institutiona   | I Email Address          |                             |       |
| First Name   |                          |                             |       |
| Enter First Name   |                          |                             |       |
| Last Name  |                          |                             |       |
| Enter Last Name  |                          |                             |       |
| Institution or Com   | pany Name                |                             |       |
| The license does no<br>domain or the user's<br>not configured fo | domain is                | from autocomplete dropdown. | li    |
| Enable SSO   |                          |                             |       |
| Add to License   | Start a trial            |                             | Reset |

When entering the Institution or Company name, suggestions will appear via autocomplete. Please try to use one of these names if applicable. If the institution or company is not listed, then type in the name.

Checking the *Enable SSO* checkbox will enable the account to login via the institution's Identity Provider. If the checkbox is in read-only mode, this means there is no SSO configured for your domain's institution.

After a moment, you will see a confirmation that the user was created and added to your license group. The user will then receive a "Welcome" email to activate account, set password and link to access this product.

| Add Users to Lice                                     | ensing Group  |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|
| Search Users Create Account                           |   |  |  |  |  |  |  |
| The new accoungroup.                                  | t was successfully created and added to the licensing $\qquad \times$ |  |  |  |  |  |  |
| Create new account and add it to the licensing group. |   |  |  |  |  |  |  |
| Enter Institutional Email Address                     |   |  |  |  |  |  |  |
| First Name  |   |  |  |  |  |  |  |
| Enter First Name                                      |   |  |  |  |  |  |  |
| L ( N   |   |  |  |  |  |  |  |
| Last Name   |   |  |  |  |  |  |  |

(3a)

#### Users in License Group

This section displays users in your license group for your product. The table is searchable by email, name, and the date they were added to the license. A filter can be applied to view only the users in the license group having SSO enabled.

If an account has SSO enabled then a key icon will be displayed near the username.

The list of users can be exported in a xls or xlsx file format.

| Users | in Licensing Group 3  |   |                  |   |             |   |  |
|-------|---|---|------------------|---|-------------|---|--|
|       | Show only users with SSO Export users as: XLS   XLSX<br>Show 10 v entries |   |                  |   |             |   |  |
|       | Search Usemame  |   | Search Name      |   | Search Date |   |  |
| 0     | Username  | • | Name \$          | A | dded Date   | ¢ |  |
| 0     | 🖋 aarthi.goverdhan@qiagen.com   | , | Aarthi Goverdhan | N | ov 04 2021  |   |  |
| 0     |   | 1 | Aavishkar Ghosh  | S | ep 20 2022  |   |  |
| 0     | ada.cean@contractor.qiagen.com  | 1 | Ada Cean         | N | ov 19 2020  |   |  |

(3b)

Remove Users from License Group to End Access.

To remove users from your license, first check the box to the left of the member(s) you wish to remove and then click on the "Remove From Licensing Group" button.

| Users in | Users in Licensing Group Show 10 		entries Remove From Licensing Group Beate Search Name Search Date |                    |                 |  |  |  |  |  |
|----------|--|--------------------|-----------------|--|--|--|--|--|
| Show     | Show 10 ventries Remove From Licensing Group   |                    |                 |  |  |  |  |  |
|          | Beate  | Search Name        | Search Date     |  |  |  |  |  |
| ð        | Username   | Name ¢             | Added Date      |  |  |  |  |  |
| Ø        | beate.litzenburger@qiagen.com  | Beate Litzenburger | Aug 13 2020     |  |  |  |  |  |
| Showin   | 115 of 1 entries (filtered from 129 total entries)   |                    | Previous 1 Next |  |  |  |  |  |

Once you remove a user from a specific licensed product, any active session for that person is immediately terminated and he or she will not be able to access this specific product.

#### License Management

The Licenses tab displays the start and end date of active license(s) for the license group.

| QIAGEN Digital Insights A   | Admin Tool Users QIAGEN® C        | Clinical Insight Interpret<br>Sessions Usage User Grou | ps User Features |   |   |         | mihaela.suteu@qiagen.com | Logou |
|---|-----------------------------------|--|------------------|---|---|---------|--------------------------|-------|
| Home / QIAGEN - QCI - Inte  |                                   |  |                  |   |   |         |                          |       |
| Licenses  |                                   |  |                  |   |   |         |                          |       |
| Show 10 ~ entries   |                                   |  |                  |   |   |         |                          |       |
| License ID 🔺 Application Name 🕴 Activation Date 🚸 End Date 🚸 IP addresses 💿 🔶 Domains 💿 🔶 2FA Duration 💿 🔶 MPC Duration 💿 |                                   |  |                  |   |   |         | ¢                        |       |
| 5908912   | QIAGEN Clinical Insight Interpret | Sep 01 2020  | Aug 29 2030      | - | - | 60 days | 365 days                 |       |
| 5908913 QIAGEN Clinical Insight Interpret Sep 01 2020 Aug 29 2030 60 days 365 days  |                                   |  |                  |   |   |         |                          |       |
| Showing 1 to 2 of 2 entries   |                                   |  |                  |   |   |         | Previous 1               | Next  |

If the license restricts usage from specific IP addresses, those will be listed. Then all sessions on this license must originate from these IP addresses. This is the institutional/building IP address as seen by the rest of the world. This is not the IP address on the user's computer.

Please note, only users from the specified domains can use your license, which are the email domains belonging to the institution that bought the license (e.g. giagen.com).

Security settings defined on the license are also displayed here. These can be custom defined values or default ones provided by the system.

The two factor authentication duration column lists the duration for which a 2FA token is valid for, it applies to users that are not on SSO. If the license group contains both users that are on SSO login and users that are not on SSO, then the 2FA setting will be displayed as a combination.

The mandatory password change duration column lists the duration for which a password is valid for, after which the system will request to be changed with a new one. It applies to users that are not on SSO. If the license group contains both users that are on SSO login and users that are not on SSO, then the MPC setting will be displayed as a combination.

### Sessions

Viewing who is currently logged into your license group.

Go to the *Live Sessions* section, which provides a list of users who are currently logged into your license. You can see how long they have been using the license in the current session and you can terminate that session if necessary (see below). Note that all times listed are in the PST time zone.

| NAGEN Digital Insights Admin Tool Users QIAGEN Clinical Insight Interpret mihaela.suteu@qiagen.com Logou |                   |                             |                             |              |                       |             |  |           |
|--|-------------------|-----------------------------|-----------------------------|--------------|-----------------------|-------------|--|-----------|
|  | L                 | icenses Se                  | ssions Usag                 | ge User Grou | ps User Feat          | ures        |  |           |
| tome / QIAGEN - QCI - Internal / QIAGEN Clinical Insight Interpret / Sessions                            |                   |                             |                             |              |                       |             |  |           |
| License Details  |                   |                             |                             |              |                       |             |  |           |
| License ID:<br>Max. Concurrent Users:  | 956531<br>2147483 | 647                         |                             |              |                       |             |  |           |
| Live Sessions  |                   |                             |                             |              |                       |             |  |           |
| Show 10 v entries  |                   |                             |                             |              |                       |             |  |           |
| Username   | Session Id        | Start Time                  | Last<br>Request             | Duration     | Inactivity<br>Timeout | IP Address  | Geo Location                           | Action    |
| mihaela.suteu@qiagen.com   | 18710129          | Aug 31<br>2023,<br>16:22:02 | Aug 31<br>2023,<br>18:17:56 | 1h 55m       | 1h 0m                 | 10.32.45.46 | Rotterdam,South<br>Holland,Netherlands | Terminate |
| ionel.marincas@qiagen.com  | 18710129          | Aug 31<br>2023,<br>16:22:02 | Aug 31<br>2023,<br>18:17:56 | 1h 55m       | 1h 0m                 | 10.32.45.46 | Rotterdam,South<br>Holland,Netherlands | Terminate |

### Terminating an active session

In the *Live Sessions* section, you can click the terminate button to the right of the user whose session you wish to terminate. Please use this option only in urgent situations, as it will potentially interrupt the user's work. We recommend that you contact the user before terminating their session.

# Viewing failed sessions

The Failed Sessions section provides a list of users who could not use the application. It states the cause why the user could not access the application.

| ailed Sessions        |              |                      |                           |                        |                          |                 |  |
|-----------------------|--------------|----------------------|---------------------------|------------------------|--------------------------|-----------------|--|
| how 10 V entries      |              |                      |                           |                        |                          |                 |  |
| Username              | ≜<br>User Id | Global<br>Session Id | Application <sup>\$</sup> | Timestamp 🔻            | Failure Cause            | IP Address      |  |
| tasim.banu@qiagen.com | 432251       | 515373287            | IAT                       | 08/09/2021<br>04:07:03 | NO_VALID_LICENSE_FOR_APP | 106.200.247.139 |  |
| haijin.lei@qiagen.com | 340256       | 514426663            | IAT                       | 08/05/2021<br>21:51:00 | NO_VALID_LICENSE_FOR_APP | 58.63.130.168   |  |
| haijin.lei@qiagen.com | 340256       | 514162058            | IAT                       | 08/05/2021<br>05:37:40 | NO_VALID_LICENSE_FOR_APP | 58.33.58.146    |  |
| haijin.lei@qiagen.com | 340256       | 0                    | INGSSO                    | 08/05/2021<br>05:37:29 | PASSWORD_INVALID         | 58.33.58.146    |  |

# Usage Monitoring

The usage tab allows users to review the sample upload limit and sample consumption associated with your license. This tab Is divided into 2 sections that will be explained in more detail below.

| ense ID:<br>plication Name<br>tivation Date<br>id Date   | 956531<br>QIAGEN Clinical Insight Interpret<br>Oct 25 2017<br>Oct 22 2027  |  | Show 10 v ent   |
|--|--|--|---|
| Feature Id   | Feature Name   | Feature Description  | Feature Current Usage / Limit   |
| 23039  | Interpret Analysis 301-600 Genes   | Interpret Analysis 301-600 Genes   | 0 / 2147483647  |
| 23837  | Interpret Analysis 1-50 Genes  | Interpret Analysis 1-50 Genes  | 0 / 2147483647  |
| 24237  | Interpret Analysis 51-150 Genes  | Interpret Analysis 51-150 Genes  | 0 / 2147483647  |
| 24437  | Interpret Analysis 151-200 Genes   | Interpret Analysis 151-200 Genes   | 0/2147483647  |
| 24837  | Interpret Analysis 201-300 Genes   | Interpret Analysis 201-300 Genes   | 0 / 2147483647  |
|  |  |  |   |
| 25038<br>owing 1 to 6 of 6 en<br>ser Usage for QCI   | OCI Interpret Exome Analysis tres Interpret Exome Analysis 2   | QCI Interpret Exome Analysis   |   |
| owing 1 to 6 of 6 en   | tries  | QCI Interpret Exome Analysis   | Previous 1 N  |
| iowing 1 to 6 of 6 en  | Interpret Exome Analysis   |  | Previous 1 N<br>Show 10 v en  |
| owing 1 to 6 of 6 en<br>eer Usage for QCI<br>User Id 0<br>244359   | Interpret Exome Analysis 2   | 8 Name   | Previous 1 N<br>Show 10 v en<br>Individual Usage  |
| iowing 1 to 6 of 6 en  | tries<br>Interpret Exorne Analysis 2<br>Username<br>darryt@demo.com  | 8 Name<br>Darryl Demo  | Previous         1         M           Show         10         •         en <ul></ul>   |
| owing 1 to 6 of 6 en<br>eer Usage for QCI<br>User Id<br>244359<br>21<br>58068  | tries<br>Interpret Exome Analysis 2<br>Username<br>darryt@demo.com<br>anand.muthiah@qiagen.com   | Name     Darryl Demo     Anandan Muthiah   | Previous         1         N           Show         10         v         en           1         Individual Usage         1         2147483647         0         0         2147483647  |
| owing 1 to 6 of 6 en<br>Ger Usage for QCI<br>User Id ©<br>244359<br>21   | tries Interpret Exome Analysis Username darryi@demo.com anand.muthiah@qiagen.com kunal.patel@qiagen.com  | Name     Darryl Demo     Anandan Muthiah     Kunal Patel   | Previous         1         N           Show         10         en           1         Individual Usage         1           1         1/2147483647         0           0         2147483647         0  |
| User Id (244359)<br>21<br>58068<br>77816   | tries Interpret Exome Analysis 2 Username darryi@demo.com anand.muthlah@qiagen.com kunal.patel@qiagen.com stuart.tugendreich@qiagen.com  | Name     Darryl Demo     Anandan Muthiah     Kunal Patel     Stuart Tugendreich  | Previous         1         N           Show         10         •         en           4         Individual Usage         1         / 2147483647         0           0         / 2147483647         0         / 2147483647         0           0         / 2147483647         0         / 2147483647         0   |
| owing 1 to 6 of 6 en           Ger Usage for QCI           User Id           244359           21           58068           77816           244651  | tries Interpret Exome Analysis Username darryi@demo.com anand.muthiah@qiagen.com kunal.patel@qiagen.com stuart.tugendreich@qiagen.com jeannoel@demo.com  | Name     Darryl Demo     Anandan Muthiah     Kunal Patel     Stuart Tugendreich     Jean Noel Demo                                       | Previous         1         N           Show         10         •         en           Individual Usage         1         / 2147483647         en           0         / 2147483647         en         en   |
| owing 1 to 6 of 6 en<br>eer Usage for QCI<br>User 1d (*)<br>244359<br>21<br>58068<br>77816<br>244651<br>292735   | tries<br>Interpret Exome Analysis 2<br>Username<br>darryi@demo.com<br>anand.muthiah@qiagen.com<br>kunal.patel@qiagen.com<br>stuart.tugendreich@qiagen.com<br>jeannoei@demo.com<br>ajay.athavale@qiagen.com | Name       Darryl Demo       Anandan Muthiah       Kunal Patel       Stuart Tugendreich       Jean Noel Demo       Ajay Athavale         | Previous         1         N           \$how         10         •         en           1         Individual Usage         1         ////////////////////////////////////  |
| owing 1 to 6 of 6 en           uer Usage for QCI           User Id         0           244359         0           21         0           58068         0           77816         0           244551         0           292735         0 | tries Interpret Exome Analysis Username darryi@demo.com anand.muthiah@qiagen.com kunal.patel@qiagen.com stuart.tugendreich@qiagen.com ajay.athavale@qiagen.com dan.richards@qiagen.com                     | Name     Darryl Demo     Anandan Muthiah     Kunal Patel     Stuart Tugendreich     Jean Noel Demo     Ajay Athavale     Daniel Richards | Previous         1         N           Show         10         en           1         Individual Usage         1         1           1         1/2147483647         0         2           0         /2147483647         0         2           0         /2147483647         0         2           0         /2147483647         0         2           0         /2147483647         0         2           0         /2147483647         0         2           0         /2147483647         0         2 |



# License Usage

This section shows you the activation and end date of your QCI Interpret license. Your QCI Interpret license consumption limit and usage is noted in the table above. In the

example, the Group has an unlimited number of samples (2147483647) of which 1 sample has been consumed by all Group members.



User Usage for Sample Upload

This table displays the number of samples consumed per user within the Group. From this table you can see the individual consumption rate.

## User Groups

The purpose of setting up multiple user groups is to restrict access to a set of samples and analyses to a specific group. For example, one group may be tasked to analyze somatic cases but should not be able to access samples and analyses that are specific to a second group that evaluates hereditary cases. Within the User Group tab for QDIAT you will find 3; (1) Administrators, (2) My User Groups, and (3) Manage Users in [group name]. These sections are described in more detail below.

| AGEN [   | Digital Insights Admin Tool Users   | QIAGEN Clinical Insight Interpret |             | About   | mihaela.suteu@                            | qiagen.com |
|--|-------------------------------------|-----------------------------------|-------------|---|---|------------|
|  | L                                   |                                   | User Groups | Use user groups to create subsets of<br>users under the same licensing<br>umbrella. |   |            |
|  | Groups 2                            | nt interpret 7 Oser Groups        | Admini      | strators 1  |   |            |
| All Use  | r Groups Create User Group          |                                   | Usern       | ame 🔺   | Name 🔶                                    | Admin Type |
| Id   | User Group Name                     | Show 10 v entries                 |             | ne.bueno@qiagen.com<br>n.balint@qiagen.com  | Christine Bueno<br>Cristian Balint        | SSO<br>SSO |
| 51976  | Somatic                             | ©×                                |             | a.suteu@qiagen.com<br>anacleto@qiagen.com   | Mihaela Suteu<br>Roslen Anacleto          | License    |
| 51977 Hereditary CX<br>Showing 1 to 2 of 2 entries |                                     |                                   |             | .pattanshetty@qiagen.com<br>tugendreich@qiagen.com                                  | Sachin Pattanshetty<br>Stuart Tugendreich | SSO<br>SSO |
| lanade   | Users in Somatic 3                  |                                   |             |   |   |            |
|  | n Group All Users Search Users      |                                   |             |   |   |            |
| how 1  | 0 v entries                         |                                   |             |   | Search:                                   |            |
|  | Search Username                     |                                   |             | Search Name   |   |            |
| 0  | Username<br>aaron.mandel@qiagen.com |                                   |             | ame<br>Iron Mandel  |   |            |
|  |                                     |                                   |             |   |   |            |



# Administrators

Displays a list of administrators that can manage the user groups within QCI Interpret. The administrator list is managed by Customer Support. If you wish to add/remove administrators, you must contact Customer Support via <u>TS-Bioinformatics@qiagen.com</u>.



My User Groups

The section displays a list of user groups. You can edit existing user groups by clicking the edit symbol. A window will pop up that allows you to edit the user group name.

|                 |                   | Show 10 v entries |                                 | Cancel Update |
|-----------------|-------------------|-------------------|---------------------------------|---------------|
| All User Groups | Create User Group |                   |                                 |               |
| All User Groups | Create User Group |                   | rextestgroup                    |               |
| User Groups     |                   |                   | User Group Name                 |               |
|                 |                   |                   | Created by rex.njoku@qiagen.com |               |

To create a new user group, navigate to "Create User Group" tab, fill out the required information and click "Create".

| My User Groups   |     |  |  |  |  |  |  |
|--|-----|--|--|--|--|--|--|
| All User Groups  |     |  |  |  |  |  |  |
| Create new user group and add users to it.<br>Created by |     |  |  |  |  |  |  |
| tina_qci_t@qiagen.                                       | com |  |  |  |  |  |  |
| User Group Name  |     |  |  |  |  |  |  |
| Oncology_Group   |     |  |  |  |  |  |  |
| Create   |     |  |  |  |  |  |  |

3a) Users in User Group

This section displays all users that are part of the user group. Highlight the user group of interest to see its members.

| My User            | Groups                              |                   | Administrators        |            |
|--------------------|-------------------------------------|-------------------|-----------------------|------------|
| All User           | Groups Create User Group            |                   | Username              | Name 🚖     |
|                    |                                     | Show 10 🖌 entries | rex.njoku@qiagen.com  | Rex Njoku  |
| Id                 | <ul> <li>User Group Name</li> </ul> | \$                | tina_qci_t@qiagen.com | tina qci_t |
| 54145              | rextestgroup                        | C                 |                       |            |
| 79373              | test_user_group                     | C                 |                       |            |
| Manage<br>Users ir | Users in rextestgroup               |                   |                       |            |
| Show 1             |                                     |                   | Search:               |            |
|                    | Search Username                     |                   | Search Name           |            |
| 0                  | Username                            |                   | Name                  | \$         |
| 0                  | mehis.pold.qcit@qiagen.com          |                   | qci-t mehis           |            |
| 0                  | qci-t-tester10@qiagen.com           |                   | qci-t tester10        |            |

#### The table is searchable by email and name.

| Manage    | Manage Users in rextestgroup                         |   |             |      |  |  |  |  |
|-----------|--|---|-------------|------|--|--|--|--|
| Users i   | n Group All Users Search Users                       |   |             |      |  |  |  |  |
| Show 1    | 0 v entries  |   | Search:     |      |  |  |  |  |
|           | mehis  | ۲ | Search Name |      |  |  |  |  |
|           | Username   |   | Name        | ÷    |  |  |  |  |
| O         | mehis.pold.qcit@qiagen.com                           |   | qci-t mehis |      |  |  |  |  |
| Showing 1 | 1 to 1 of 1 entries (filtered from 19 total entries) |   | Previous 1  | Next |  |  |  |  |



#### Add Users to User Group

Navigate to the *All Users* tab and search by name or user name using the organizational email. To add users from your license, first check the box to the left of the member(s) you wish to add and then click on the "Add to User Group" button.

| Manage U | Jsers in QCI_Test_Internal Group All Users Search Users |   |             |         |            |      |
|----------|---|---|-------------|---------|------------|------|
| Show 10  | ▼ entries   |   |             | Search: | Adrļ       |      |
|          | Search Username   |   | Search Name |         |            |      |
|          | Username  | • | Name        |         |            | ¢    |
|          | adrian.kung@qiagen.com                                  |   | Adrian Kung |         |            |      |
| -        | to of 1 entries (filtered from 109 total entries)       |   |             |         | Previous 1 | Next |
| Add To U | Jser Group  |   |             |         |            |      |

If you have hundreds of users on your license you can also navigate to "search users" tab and search users via your institutional address.



Remove Users from User Group

To remove users from a user group, first check the box to the left of the member(s) you wish to remove and then click on the "Remove From User Group" button.

| Manage  | Users in rextestgroup                      |                     |
|---------|--|---------------------|
| Users   | in Group All Users Search Users            |                     |
| Show    | 10 • entries                               | Search:             |
|         | mehis                                      | Search Name         |
| S       | Username                                   | Name $\diamondsuit$ |
| 8       | mehis.pold.qcit@qiagen.com                 | qci-t mehis         |
| Showing | 1 entries (filtered from 19 total entries) | Previous 1 Next     |
| Remov   | re From User Group                         |                     |

Once you remove a user from a specific group, he or she will not be able to access samples and analysis from that specific user group unless you add them again or share specific samples and analysis with this specific user.

# **User Features**

In the User Features tab for QDIAT you will find 2 sections; (1) Features and (2) Manage Users with features. The User Features tab allows the license administrator to assign features to the users in the license group he/she manages. These sections are described in more detail below.

| QIAGEN | Digital Insights Admin Tool Users              | QIAGEN CI        | inical Insight | Interpret |             |                    | mihaela.sut | eu@qiagen.com | Logout |
|--------|--|------------------|----------------|-----------|-------------|--------------------|-------------|---------------|--------|
|        |  | Licenses         | Sessions       | Usage     | User Groups | User Features      |             |               |        |
| Home   | / QIAGEN - QCI - Internal / QIAGEN Clinical In | isight Interpret | / User Feat    | ures      |             |                    |             |               |        |
| Featur | es 1   |                  |                |           |             |                    |             |               |        |
| Show   | 10 v entries                                   |                  |                |           |             |                    |             |               |        |
| Direct | or 🤨   |                  |                |           |             |                    |             |               |        |
| MyQC   | a 😧  |                  |                |           |             |                    |             |               |        |
| Showin | g 1 to 2 of 2 entries                          |                  |                |           |             |                    |             | Previous 1    | Next   |
|        |  |                  |                |           |             |                    |             |               |        |
| Manag  | ge Users with Director features <b>(2)</b>     |                  |                |           |             |                    |             |               |        |
| User   | s with features Users from group               |                  |                |           |             |                    |             |               |        |
| Show   | 10 v entries                                   |                  |                |           |             |                    |             |               |        |
|        | Search Username                                |                  |                |           |             | Search Name        |             | Search Date   |        |
|        | Username                                       |                  |                |           | \$          | Name               | \$          | Added Date    | \$     |
|        | sergiu.plesca@qiagen.com                       |                  |                |           |             | Sergiu Plesca      |             | Aug 25 2022   |        |
| 0      | testvcs_prod_director@ingenuity.com            |                  |                |           |             | testvcs_prod_direc | ctor test   | Feb 08 2023   |        |
|        | mihaela.vatamanu@qiagen.com                    |                  |                |           |             | Mihaela Vatamanu   |             | Jul 23 2020   |        |

1

Features

Displays a list of available features. This list is managed by Customer Support. If you wish to add/remove available features, you must contact Customer Support via <u>TS-Bioinformatics@qiagen.com</u>. Possible values for QCII are:

| 🔝 feature 🔅   | III description and the second s |
|---------------|--|
| MyQCI         | Allows view of all 'Off-the-shelf' TPPS and reports template. CRUD of TPP based on license in their own license_group  |
| Director      | Allowes user to sign out reports   |
| Administrator | QCI administrator feature to manage application level administration tasks   |

A description for each feature is available via a tooltip:



The license administrator can select one of the features from section 1 and then the view in section 2 gets refreshed.



Manage Users with features

This section allows the license administrator to assign or remove features from specific users.

The feature will first be selected from section 1. The title in section 2 gets refreshed based on the previous selection.

| QIAGEN Digital Insights Admin Tool Users Licenses Usage User Groups User Feature | ionel.marincas@qiagen.com Logout |
|--|----------------------------------|
| Show 10 v entries  |                                  |
| Director   |                                  |
| MyQCI 🖸  |                                  |
| Administrator 📀  |                                  |
| Showing 1 to 3 of 3 entries  | Previous 1 Next                  |
| Manage Users with Administrator features   |                                  |
| Users with features Users from group   |                                  |

There are two tabs on this section: one that shows users having assigned the feature selected in section 1 and another tab which displays all the users in the license group to whom the feature could be assigned to.

# Assigning a feature to a user

| IAGEN Digital Insi     | ghts Admin Tool     | Users        | Licenses     | Usage       | User Groups         | User     | Features         | ic | nel.marincas@qiagen.com | Logo |
|------------------------|---------------------|--------------|--------------|-------------|---------------------|----------|------------------|----|-------------------------|------|
| Show 10 🗸 entrie       |                     | Assign featu | ure(s) to    | user(s)     |                     |          |                  | ×  |                         |      |
| Director O             |                     | Do you want  | to assign th | ne selected | feature(s) to the s | selected | d user(s)?       |    |                         |      |
| Administrator 😡        |                     |              |              |             |                     |          |                  |    |                         |      |
| Showing 1 to 2 of 2 er | itries              |              |              |             |                     |          | Cancel Assign    |    | Previous 1              | Next |
| Manage Users with      | Director features   |              |              |             |                     |          |                  |    |                         |      |
| Users with features    | Users from grou     | ıp           |              |             |                     |          |                  |    |                         |      |
| Show 10 🗸 entrie       | IS                  |              |              |             |                     |          |                  |    |                         |      |
|                        | Search Username     |              |              |             |                     |          | Search Name      |    | Search Date             |      |
| □ ▲                    | Username            |              |              |             |                     |          | Name             |    | Added Date              |      |
| O                      | ioneltest@testsss.c | om           |              |             |                     |          | IonelTest ssdsa  |    | Oct 09 2020             |      |
| O                      | ioneltestuser@qgn.  | com          |              |             |                     |          | User Detest      |    | Oct 09 2020             |      |
| S                      | ioneltest@test.com  |              |              |             |                     |          | IonelTest Detest |    | Oct 09 2020             |      |
|                        |                     |              |              |             |                     |          |                  |    |                         |      |

# Removing a feature from a user

| AGEN Digital Ins       | ights Admin Tool    | Users Licenses Usage User Groups Use                       | er Fe | atures        | ione | l.marincas@qiagen.com | Logo |
|------------------------|---------------------|--|-------|---------------|------|-----------------------|------|
| Home / DEMO - US/      |                     | Remove feature(s) from user(s)                             |       | ×             |      |                       |      |
| Features               |                     | Do you want to remove the selected feature(s) from the sel | lecte | d users(s)?   |      |                       |      |
| Show 10 🗸 entrie       | es                  |  |       |               |      |                       |      |
| Director <b>Q</b>      |                     |  |       | Cancel Remove |      |                       |      |
| MyQCI 🕑                |                     |  |       |               |      |                       |      |
|                        |                     |  |       |               |      |                       |      |
| Showing 1 to 3 of 3 er | ntries              |  |       |               |      | Previous 1            | Next |
| Manage Users with      | h Administrator fea | tures  |       |               |      |                       |      |
| Users with features    | Users from grou     | p  |       |               |      |                       |      |
| Show 10 v entrie       | es                  |  |       |               |      |                       |      |
|                        | Search Username     |  |       | Search Name   |      | Search Date           |      |
| ٭ ک                    | Username            |  |       | Name          |      | Added Date            |      |
|                        |                     |  |       | Mihaela Suteu |      | Apr 17 2022           |      |

# SSO Configuration

The SSO Configuration tab allows the SSO Administrator to configure SSO for his/her company and to manage users by enabling/disabling the SSO process for them.

| QIAGEN Digital Insights Admin Tool | Home | SSO configuration | mihaela.suteu@qiagen.com | Logout |
|------------------------------------|------|-------------------|--------------------------|--------|
|                                    |      | VS                |                          |        |
| Home                               |      |                   |                          |        |
| My Licensing Groups                |      |                   |                          |        |
| QIAGEN - IPA - Internal            |      |                   |                          |        |
| QIAGEN - QCI - Internal            |      |                   |                          |        |
| QIAGEN - MyQDI - Internal          |      |                   |                          |        |

**SSO Administrator**: this is typically the buyer's IT person who configures and manages the institutions single sign-on with QDI's product offerings. To configure SSO for your institution reach out to <u>TS-Bioinformatics@qiagen.com</u>. We support multiple SSO Administrators.

Qiagen Digital Insights is an identity provider that offers authentication with security measures such as complex passwords, password expiration, 2 factor authentication. One user account in our identity store can access all QDI products as listed above in the Introduction.

Customers have the option to use their own identity provider for authentication through QDI's Single Sign-on (SSO). SSO allows you to login using your company credentials. Qiagen's SSO is based on SAML 2.0, more specifically, the Service Provider-Initiated SAML Flow.

Once SSO is configured, the SSO Administrator is responsible for all communication and authentication related issues/queries for their users.

Prerequisites

- Send a request to <u>TS-Bioinformatics@qiagen.com</u>
  - o with first name, last name, and email ID of the SSO Administrator
  - o list of domains for SSO

An SSO administrator will be created by the QDI customer support team and in order to gain access to the SSO configuration tab, a special license will be assigned.

#### Creating a new configuration

On the right side panel you can find detailed instructions on how to create and setup a new SSO configuration for your company.

On the left side panel, in the My SSO Configs section you will find a list of your current SSO configurations. You can click on the Add new SSO config to create a new one.


There is also a table that lists all the administrators defined on the group.

| SSO configuration                |                  |              |   |
|----------------------------------|------------------|--------------|---|
| My SSO Configs                   |                  |              | SSO instructions  |
| ion.com                          |                  |              | Overview  |
| keycloak.com                     |                  |              | Single sign-on allows you to login using your company credentials. QIAGEN single sign-on (SSO) is based on SAML 2.0. QIAGEN can   |
| qiagen.com contractor.qiagen.com |                  |              | map attributes to provision a user to different group with feature controls.<br>QIAGEN acts as the Service Provider (SP), and it's capable of offering automatic user provisioning. In case auto-provisioning is  |
| Add New SSO config               |                  |              | enabled, then you do not need to register as a user in QIAGEN. Once QIAGEN receives a SAML response from the identity Provider<br>(idP), QIAGEN checks if this user exists. If the user does not exist, QIAGEN creates a user account automatically with the received<br>name ID. |
| ~~~                              |                  |              | This article covers:  |
| Administrators                   |                  |              | Configuring SSO     Enabling SSO  |
| Username                         | Name 4           | Admin Type   | Vou can download QIAGEN service provider public certificate used for SAML signing from here   |
| diana.stanila@qiagen.com         | Diana Stanila    | SSO          | Configuring SSO   |
| gabriel.padurean@qiagen.com      | Gabriel Padurean | SSO          | First, enter your SSO information   |
| ionel.marincas@qiagen.com        | ionel Marincas   | License, SSO | Domain name(s): <domains do="" for="" sso="" to="" want="" which="" you="">     Identity provider id: <id entitydescriptor="" of=""></id></domains>   |
| suteum@qiagen.com                | Miha Suteu       | SSO          | <ul> <li>Identity provider metadata xml: <ldentity metadata="" provider="" xml=""> Note: The metadata xml should be provided to you from<br/>the IT department of your company</ldentity></li> </ul>  |
|                                  |                  |              | Email attribute name: <name attribute="" email="" of=""> Note: The name of attribute should be provided to you from the IT</name>   |
|                                  |                  |              | department of your company First attribute name: <name attribute="" first="" name="" of=""> Note: The name of attribute should be provided to you from the IT</name>  |
|                                  |                  |              | department of your company <ul> <li>Last attribute name: <name attribute="" last="" name="" of=""> Note: The name of attribute should be provided to you from the IT</name></li> </ul>  |
|                                  |                  |              | department of your company  |
|                                  |                  |              | Enabling SSO  |
|                                  |                  |              | Second, download our metadata and enable SSO  |
|                                  |                  |              | Note Once configured you'll have to download the SP metadata XML.     Enable SSO  |
|                                  |                  |              | Enabling SSO users  |
|                                  |                  |              | Third, enable SSO login for existing users  |
|                                  |                  |              | Note By default existing users will not be able to login with SSO. They have to be changed  |

There are three steps for setting up a new SSO configuration.

#### SSO Config: step 1

The configuration step requires you to choose one or multiple domain(s). The available domains are the ones setup by customer support at the time the SSO administrator was created. If you cannot find the domain you are looking for please reach out to customer support for any changes. Please observe the instructions on the right side panel for the information required in the form.



If the Automatic user provisioning is checked this means that all new users signing in to Qiagen via your company's identity provider will gain access to the Qiagen products by having accounts automatically created in the Qiagen system and added to your license group.

#### SSO Config: step 2

The 2<sup>nd</sup> step allows you to preview the configuration, choose the license group for auto provisioning and enable the SSO configuration. After selecting the domain(s) a service provider metadata URL will get displayed and it will allow for the QIAGEN metadata data file to be downloaded locally. This is also the step from which an existing SSO configuration can be disabled by clicking on the *Disable* button. A right side panel is also available with more information on this.

| QIAGEN Digital Insights Admin Tool Home SSO configuration Users   |                          | ionel.marincas@qiagen.com Logou   |
|---|--------------------------|---|
| SSO configuration / demodomain.com  |                          |   |
| (1)<br>Cenfigure SSO  | 2<br>Edit SSO configurat | (3)<br>Enable SSO users   |
| View SSO configuration for domain(s)  | SS                       | 30 instructions   |
| Domain Name(s)<br>demodomain.com  | 0                        | lverview  |
| Download QIAGEN service provider metadata   |                          | igle sign-on allows you to login using your company credentials. QIAGEN single sign-on (SSO) is based on SAML 2.0. QIAGEN can   |
| Entity Id   |                          | p attributes to provision a user to different group with feature controls.  |
| demodomain.com  | ena<br>(IdF              | AGEN acts as the Service Provider (BP), and it's capable of offering automatic user provisioning. In case auto-provisioning is<br>abled, then you do not need to register as user in QAGEN. Once QAGEN reviews a SAML response from the identity Provider<br>P), QAGEN checks if this user exists. If the user does not exist, QAGEN creates a user account automatically with the received<br>me ID. |
| Identity metadata xml   |                          | is article covers:  |
| xml version="1.0" encoding="UTF-8" standalone="yes"?<br><entitiesdescriptor< td=""><td></td><td>Configuring SSO     Enabling SSO</td></entitiesdescriptor<> |                          | Configuring SSO     Enabling SSO  |
| xmlns="urn:coasis:namest:c:SAML2.0:metadata"<br>xmlns:xsl="http://www.w3.org/2001/XMLSchema-instance"<br>Name="http://neuruly.com"                          |                          | Enabling SSO You can download QIAGEN service provider public certificate used for SAML signing from here  |
| verme= ntp://ngenuty.com<br>verbehand.acetin_timeselenamentalSAML-2.0imetadata.ecto.com/.echoma.metadata.<br>Choose file No file chosen                     | 20 ved li                | Configuring SSO   |
|   |                          | st, enter your SSO information  |
| Email attribute name email  |                          | Domain name(s): <domains do="" for="" sso="" to="" want="" which="" you=""></domains>   |
| Enter name of attribute for email address sent in SAML response.  |                          | Identity provider id: <id entitydescriptor="" of="">     Identity provider metadata xml: <identity metadata="" provider="" xml=""> Note: The metadata xml should be provided to you from</identity></id>  |
| First name attribute name   |                          | the IT department of your company <ul> <li>Email attribute name: <name attribute="" email="" of=""> Note: The name of attribute should be provided to you from the IT</name></li> </ul>   |
| firstname   |                          | department of your company  First attribute name: <name attribute="" first="" name="" of=""> Note: The name of attribute should be provided to you from the IT</name>   |
| Enter name of attribute for first name sent in SAML response.   |                          | department of your company<br>- Last attribute name: <a href="https://www.efiles.com">https://www.efiles.com</a><br>department of your company  |
| Last name attribute name lastname   |                          |   |
| Enter name of attribute for last name sent in SAML response.  |                          | nabling SSO   |
| Automatic user provisioning   |                          | cond, download our metadata and enable SSO  • Note Once configured you'll have to download the SP metadata XML.   |
| When this will be checked users will be automatically assigned to unlimited site licenses.  |                          | Enable SSO  |
|   | E                        | nabling SSO users   |
| Show 10 v entries   |                          | ird, enable SSO login for existing users  |
| License group name Application name   | ¢                        | Note By default existing users will not be able to login with SSO. They have to be changed  |
| Demo - IPA and My Findings     Ingenuity Views and Re   | ports                    |   |
| Demo Findings Internal Group     Ingenuity Views and Re   | ports                    |   |
| S SSO Config for Demo Ingenuity Views and Re  | ports                    |   |
| Showing 1 to 3 of 3 entries   | Previous 1 Next          |   |
| Save  |                          |   |
|   |                          |   |

# SSO Config: step 3

The 3<sup>rd</sup> step allows you to move users between two lists: one that is SSO enabled – meaning that users will sign in using your company identity provider and the other which is SSO disabled meaning that users will continue to sign in via Qiagen system.

In order to do this, you need to click on the checkbox next to the username and then use the arrows highlighted below to submit the action. The left and right side lists will refresh automatically after this.

| IAGEN Digital Insights Admin Tool        | Home SSO      | configuration Users                                     |                               |           |                   |              |                |              | demossoadmin@dem  | iodomain.com | Logo |
|--|---------------|---|-------------------------------|-----------|-------------------|--------------|----------------|--------------|-------------------|--------------|------|
| SSO configuration / demodomain.com       |               |   |                               |           |                   |              |                |              |                   |              |      |
| Configur                                 |               |   | 2<br>Disable SSO configuratio | n         |                   | $\leftarrow$ |                | Enab         | 3<br>le SSO users | •            |      |
| Users with demodomain.com in our s       | ystem         |   |                               |           |                   |              |                |              | •••               |              |      |
| Users with demodomain.com available fo   | r SSO         | Search:   |                               |           | I demodomain.co   | m having SSO | enabled        |              | Search:           |              |      |
| Show 10 V entries                        |               | Search:   |                               | Show 10   | ✓ entries         |              |                |              | Search:           |              |      |
| Username                                 | Full Name     | Active licenses   | ÷                             | 0         | Username          |              | Full Name      | ÷            | Active licenses   |              | ÷    |
| demossoadmin@demodomain.com              | Demo SSOAdmin | QDI Admin Tool, User Manager Application                | >                             |           |                   |              | No data availa | ble in table |                   |              |      |
| foe.black@demodomain.com                 | Joe Black     | Ingenuity Pathway Analysis, Ingenuity Views and Reports | <                             | Showing 0 | to 0 of 0 entries |              |                |              |                   | Previous     | Next |
| mary.white@demodomain.com                | Mary White    | Ingenuity Pathway Analysis, Ingenuity Views and Reports |                               |           |                   |              |                |              |                   |              |      |
| to t | Tom Jones     | Ingenuity Pathway Analysis, Ingenuity Views and Reports |                               |           |                   |              |                |              |                   |              |      |
| Showing 1 4 oventries                    |               | Previous 1 Next   | 1                             |           |                   |              |                |              |                   |              |      |

#### How to navigate between the SSO configuration steps

Use the arrows between the steps to move from one step to the other.

| QIAGEN Digital Insights Admin Tool   | SSO configuration | Users                          |              | demossoadmin@demodomain.com | Logout |
|--------------------------------------|-------------------|--------------------------------|--------------|-----------------------------|--------|
| SSO configuration / demodomain.com   |                   |                                |              |                             |        |
| 1<br>Configure SSO                   |                   | 2<br>Disable SSO configuration | $\leftarrow$ | 3<br>Enable SSO users       |        |
| Users with demodomain.com in our sys | stem              |                                | M            |                             |        |

Changes to current support process for authentication related issues

When SSO is enabled, the SSO admin is responsible for all authentication related communication to their users.

Once QIAGEN assigns SSO admin for their domains/institution, QIAGEN will no longer reply/support authentication questions from those domains/institutions.