June 2024

QIAGEN Digital Insights Admin Tool Quick Start Guide



Contents

Introduction
Access to QDIAT
How to use QDIAT
User Management6
Administrators
Add New Users to Licensing Group6
Users in License Group9
Remove Users from License Group to End Access9
License Management
Sessions
Viewing who is currently logged into your license group11
Terminating an active session11
Viewing failed sessions12
Usage Monitoring13
License Usage14
User Usage for Sample Upload14
User Groups15
Administrators
My User Groups16
Users in User Group16
Add Users to User Group17
Remove Users from User Group18
User Features
Features19
Manage Users with features20
SSO Configuration
Prerequisites22
SSO Config: step 124
SSO Config: step 224
SSO Config: step 325

How to navigate between the SSO configuration steps	26
Changes to current support process for authentication related issues	26

Introduction

QIAGEN Digital Insights Admin Tool (QDIAT) is a platform that allows you to:

- 1. Manage your users and monitor your license(s)/sessions/usage
- 2. Single Sign-on (SSO) configuration

This platform manages the access to the following products

- HGMD Human Genetic Mutation Database -<u>https://my.qiagendigitalinsights.com/bbp/</u>
- HSMD Human Somatic Mutation Database -<u>https://my.giagendigitalinsights.com/bbp/</u>
- COSMIC Catalogue of Somatic Mutations in Cancer -<u>https://my.qiagendigitalinsights.com/bbp/</u>
- PGMD PharmacoGenomic Mutation Database <u>https://my.giagendigitalinsights.com/bbp/</u>
- ANNOVAR https://my.giagendigitalinsights.com/bbp/
- Genome Trax[™] <u>https://my.qiagendigitalinsights.com/bbp/</u>
- QCI QIAGEN Clinical Insights –
 <u>https://variants.dk.giagenbioinformatics.com/qci/</u>
- IPA Ingenuity Pathway Analysis <u>https://analysis.ingenuity.com/pa</u>

QDIAT allows you to look up which licenses users have within your organization, control access to products by adding or removing users, look up who is currently logged in, and monitor when licenses expire.

Access to QDIAT

If you are a license coordinator for any of these products, log in at <u>https://apps.dk.qiagenbioinformatics.com</u> with your username and password.

If you are the license coordinator and cannot access QDIAT please contact customer support via <u>TS-Bioinformatics@qiagen.com</u> and request a QDIAT license. Please note, a license to your product can be managed by more than one administrator. If you wish to add/remove administrators, you must contact Customer Support. Administrators do not need to be members of the License Group (individual users that have access to a licensed product).

How to use QDIAT

License Administrator/License Coordinator: this is the administrator at the institution who is authorized to make changes to the licenses/users.

Once logged in, QDIAT displays on the home page the list of active licensing groups. From here you can administer more than one product license. To do this, you will need to choose which license you want to access after you log into QDIAT. In the example shown below, the license administrator can manage two different licenses, and must select one before continuing.

Home	SSO configuration	mihaela.suteu@qiagen.com	Logout
	Home	Home SSO configuration	Home SSO configuration

Once a license group is selected, the top menu will display the following tabs: Users and "QIAGEN Digital Insights" with the following submenu: Licenses, Sessions, Usage, User Groups and User Features.

QIAGEN Digital Insights Admin Tool Users	QIAGEN Clinical Insight Interpret	mihaela.suteu@qiagen.com	Logout
	Licenses Sessions Usage User Groups User Features		
Home / QIAGEN - QCI - Internal / QIAGEN Clinical Insi	ght Interpret / Licenses		
Licenses			

User Management

In the Users tab for QDIAT you will find 3 sections; (1) Administrators, (2) Add New Users to Licensing Group, and (3) Users in Licensing Group. These sections are described in more detail below.

AGEN Digital Insights Admin Tool	sers About		mihaela.suteu	@qiagen.com Log
Home / QIAGEN - QCI - Internal	All users listed in the Users tab belong to the license groups and have access to all applications shown.			
Add Users to Licensing Group 2		Administrators 1		
Search Users Create Account		Username	Name	Admin Type
Search and add existing accounts to the licensing	group.	christine.bueno@qiagen.com	Christine Bueno	SSO
User account email address or addresses		cristian.balint@qiagen.com	Cristian Balint	SSO
Enter one or more email addresses or search on o	one partial address.	mihaela.suteu@qiagen.com	Mihaela Suteu	License
Search		roslen.anacleto@qiagen.com	Roslen Anacleto	SSO
		sachin.pattanshetty@qiagen.com	Sachin Pattanshetty	SSO
		stuart.tugendreich@qiagen.com	Stuart Tugendreich	SSO
Users in Licensing Group 3 Show only users with SSO Export users as: 2 Show 10 ventries Search Username	XLS XLSX	Search Name		Search Date
Username	*	Name	\$	Added Date
aaron.mandel@qiagen.com		Aaron Mandel		May 19 2020
aarthi.goverdhan@qiagen.com		Aarthi Goverdhan		Apr 25 2023
aavishkar.ghosh@qiagen.com		Aavishkar Ghosh		Sep 20 2022
s://apps-pdm.ingenuity.com/iat/app/users/view/338426	3	Alexandra Matei		Jan 26 2023



Administrators

Displays a list of administrators that can manage the access of users to the product. This list is managed by Customer Support. If you wish to add/remove administrators, you must contact Customer Support via <u>TS-Bioinformatics@qiagen.com</u>.



Add New Users to Licensing Group

It is possible that users within your organization possess licenses for other QIAGEN Digital Insights products and are already registered within the QIAGEN licensing system. If this is the case, you can simply search in the "Add User to Group" section to see if the user has an account, as shown below. Note that in the screenshot below the search is performed using the organizational email address.

Add Users to Lie	ensing Group	
Search Users	Create Account	
Search and add e	visting accounts to the licensing group.	
Dominic.John@	qiagen.com	
Enter one or more	email addresses or search on one partial address.	
Search 💦		

If the user exists within QIAGEN's licensing system a window will pop-up displaying the user details. You can then select the user to be added to this license group. Click on "Save Changes" to finalize the process and user will receive a "Welcome" email with a link to access this product.

Add Users To L	icensing Group	
Select the users t	hat will be added to the licensing group QIAGEN Internal - MyQDI	
Show 10 🗸	entries	
Ś	Username	Name 🛓
	dominic.john@qiagen.com	Dominic John
Showing 1 to 1 of	1 entries	Previous 1 Next
		Cancel Save Changes

If the user is not found, you can create a user account for that user. To add a user to your license group, click on "Create Account", fill in the required information, and click "Add to License".

Add Users to Lic	censing Group		
Search Users	Create Account		
Create new accour	nt and add it to the lie	censing group.	
Institutional Email	Address		
Enter Institutiona	I Email Address		
First Name			
Enter First Name			
Last Name			
Enter Last Name			
Institution or Com	pany Name		
The license does no domain or the user's not configured fo	domain is	from autocomplete dropdown.	li
Enable SSO			
Add to License	Start a trial		Reset

When entering the Institution or Company name, suggestions will appear via autocomplete. Please try to use one of these names if applicable. If the institution or company is not listed, then type in the name.

Checking the *Enable SSO* checkbox will enable the account to login via the institution's Identity Provider. If the checkbox is in read-only mode, this means there is no SSO configured for your domain's institution.

After a moment, you will see a confirmation that the user was created and added to your license group. The user will then receive a "Welcome" email to activate account, set password and link to access this product.

Add Users to Lice	ensing Group					
Search Users Create Account						
The new accoungroup.	t was successfully created and added to the licensing $\qquad \times$					
Create new account and add it to the licensing group.						
Enter Institutional	I Email Address					
First Name						
Enter First Name						
L (N						
Last Name						

(3a)

Users in License Group

This section displays users in your license group for your product. The table is searchable by email, name, and the date they were added to the license. A filter can be applied to view only the users in the license group having SSO enabled.

If an account has SSO enabled then a key icon will be displayed near the username.

The list of users can be exported in a xls or xlsx file format.

Users	in Licensing Group 3						
	Show only users with SSO Export users as: XLS XLSX Show 10 entries						
	Search Usemame		Search Name		Search Date		
0	Username	•	Name \$	A	dded Date	¢	
0	🖋 aarthi.goverdhan@qiagen.com	,	Aarthi Goverdhan	N	ov 04 2021		
0		1	Aavishkar Ghosh	S	ep 20 2022		
0	ada.cean@contractor.qiagen.com	1	Ada Cean	N	ov 19 2020		

(3b)

Remove Users from License Group to End Access.

To remove users from your license, first check the box to the left of the member(s) you wish to remove and then click on the "Remove From Licensing Group" button.

Users in	Users in Licensing Group							
Show								
	Beate	Search Name	Search Date					
¥	Username 🖕	Name Å	Added Date					
Ø	beate.litzenburger@qiagen.com	Beate Litzenburger	Aug 13 2020					
Showin	1 entries (filtered from 129 total entries)		Previous 1 Next					

Once you remove a user from a specific licensed product, any active session for that person is immediately terminated and he or she will not be able to access this specific product.

License Management

The Licenses tab displays the start and end date of active license(s) for the license group.

QIAGEN Digital Insights /		Clinical Insight Interpret Sessions Usage User Group	os User Features				mihaela.suteu@qiagen.com	Logout
Home / QIAGEN - QCI - Inte	rnal / QIAGEN® Clinical Insight Interpr	et / Licenses						
Licenses	Licenses							
Show 10 v entries								
License ID	Application Name	Activation Date	End Date 0	IP addresses 0	Domains 0	2FA Duration 0	MPC Duration	φ
5908912	QIAGEN Clinical Insight Interpret	Sep 01 2020	Aug 29 2030	-		60 days	365 days	
5908913	QIAGEN Clinical Insight Interpret	Sep 01 2020	Aug 29 2030			60 days	365 days	
Showing 1 to 2 of 2 entries							Previous 1	Next

If the license restricts usage from specific IP addresses, those will be listed. Then all sessions on this license must originate from these IP addresses. This is the institutional/building IP address as seen by the rest of the world. This is not the IP address on the user's computer.

Please note, only users from the specified domains can use your license, which are the email domains belonging to the institution that bought the license (e.g. giagen.com).

Security settings defined on the license are also displayed here. These can be custom defined values or default ones provided by the system.

The two factor authentication duration column lists the duration for which a 2FA token is valid for, it applies to users that are not on SSO. If the license group contains both

users that are on SSO login and users that are not on SSO, then the 2FA setting will be displayed as a combination.

The mandatory password change duration column lists the duration for which a password is valid for, after which the system will request to be changed with a new one. It applies to users that are not on SSO. If the license group contains both users that are on SSO login and users that are not on SSO, then the MPC setting will be displayed as a combination.

Sessions

Viewing who is currently logged into your license group.

Go to the *Live Sessions* section, which provides a list of users who are currently logged into your license. You can see how long they have been using the license in the current session and you can terminate that session if necessary (see below). Note that all times listed are in the PST time zone.

GEN Digital Insights Admin Too	Users C	on the second se	I Insight Interpr				minaeia.o	uteu@qiagen.com	L
	L	icenses Se	ssions Usag	e User Grou	ps User Feat	ures			
ome / QIAGEN - QCI - Internal / QIAG	EN Clinical Insight	it Interpret / Se	essions						
icense Details									
License ID: 966531 Max. Concurrent Users: 2147483647									
ve Sessions									
how 10 v entries	Session Id	Start Time	Last Request	Duration	Inactivity Timeout	IP Address	Geo Location	Action	
nihaela.suteu@qiagen.com	18710129	Aug 31 2023, 16:22:02	Aug 31 2023, 18:17:56	1h 55m	1h 0m	10.32.45.46	Rotterdam,South Holland,Netherlands	Terminate	
onel.marincas@qiagen.com	18710129	Aug 31 2023, 16:22:02	Aug 31 2023, 18:17:56	1h 55m	1h 0m	10.32.45.46	Rotterdam,South Holland,Netherlands	Terminate	

Terminating an active session

In the *Live Sessions* section, you can click the terminate button to the right of the user whose session you wish to terminate. Please use this option only in urgent situations, as it will potentially interrupt the user's work. We recommend that you contact the user before terminating their session.

Viewing failed sessions

The Failed Sessions section provides a list of users who could not use the application. It states the cause why the user could not access the application.

ailed Sessions								
now 10 v entries								
Username	≜ User Id	Global Session Id	Application ^{\$}	Timestamp 🔻	Failure Cause	IP Address		
tasim.banu@qiagen.com	432251	515373287	IAT	08/09/2021 04:07:03	NO_VALID_LICENSE_FOR_APP	106.200.247.139		
haijin.lei@qiagen.com	340256	514426663	IAT	08/05/2021 21:51:00	NO_VALID_LICENSE_FOR_APP	58.63.130.168		
haijin.lei@qiagen.com	340256	514162058	IAT	08/05/2021 05:37:40	NO_VALID_LICENSE_FOR_APP	58.33.58.146		
haijin.lei@qiagen.com	340256	0	INGSSO	08/05/2021 05:37:29	PASSWORD_INVALID	58.33.58.146		

Usage Monitoring

The usage tab allows users to review the sample upload limit and sample consumption associated with your license. This tab Is divided into 2 sections that will be explained in more detail below.

ense ID: plication Name ivation Date d Date	956531 QIAGEN Clinical Insight Interpret Oct 25 2017 Oct 22 2027		Show 10 ven
Feature Id	Feature Name	Feature Description	Feature Current Usage / Limit
23039	Interpret Analysis 301-600 Genes	Interpret Analysis 301-600 Genes	0 / 2147483647
23837	Interpret Analysis 1-50 Genes	Interpret Analysis 1-50 Genes	0 / 2147483647
24237	Interpret Analysis 51-150 Genes	Interpret Analysis 51-150 Genes	0 / 2147483647
24437	Interpret Analysis 151-200 Genes	Interpret Analysis 151-200 Genes	0/2147483647
24837	Interpret Analysis 201-300 Genes	Interpret Analysis 201-300 Genes	0 / 2147483647
25038	QCI Interpret Exome Analysis	QCI Interpret Exome Analysis	1/2147483647
owing 1 to 6 of 6 en	Interpret Exome Analysis		
		8 Name	
er Usage for QCI	Interpret Exome Analysis	Name Darryi Demo	Show 10 v et
er Usage for QCI User Id ¢	Interpret Exome Analysis 2		Show 10 v er
er Usage for QCI User Id 0 244359	Interpret Exome Analysis 2 Username darryt@demo.com	Darryl Demo	Show 10 v er individual Usage 1 / 2147483647
er Usage for QCI User Id 🔅 244359 21	Interpret Exome Analysis 2 Username darnyi@demo.com anand.muthiah@qiagen.com	Darryl Demo Anandan Mulhiah	Show 10 v et Individual Usage 1 / 2147483647 0 / 2147483647
er Usage for QCI User Id 🕴 244359 21 58068	Interpret Exome Analysis 2 Username darryligdemo.com anand.muthiah@qiagen.com kunal.patel@qiagen.com	Darryl Demo Anandan Muthiah Kunal Patel	Show 10 v er € Individual Usage 1 / 2147483647 0 / 2147483647 0 / 2147483647
er Usage for QCI User Id © 244359 21 58068 77816	Interpret Exome Analysis 2 Username darryt@demo.com anand.muthiah@qiagen.com kunal.patel@qiagen.com stuart.tugendreich@qiagen.com	Darryl Demo Anandan Muthiah Kunal Patel Stuart Tugendreich	Show 10 v et € Individual Usage 1 / 2147483647 0 / 2147483647 0 / 2147483647 0 / 2147483647
er Usage for QCI User Id © 244359 21 58068 77816 244651	Interpret Exome Analysis 2 Username darryl@demo.com anand.muthlah@qiagen.com kunal.patel@qiagen.com stuart.tugendreich@qiagen.com jeannoel@demo.com	Darryi Demo Anandan Muthiah Kunal Patel Stuart Tugendreich Jean Noel Demo	Show 10 ✓ er ● Individual Usage 1 2147483647 ● 0 / 2147483647 0 2147483647 ● 0 / 2147483647 0 0 ● 0 / 2147483647 0 2147483647
er Usage for QCI User Id (*) 244359 21 58068 77816 244651 292735	Interpret Exome Analysis 2 Username darryi@demo.com anand.muthlah@qiagen.com kunal.patel@qiagen.com stuart.tugendreich@qiagen.com jeannoel@demo.com ajay.athavale@qiagen.com	Darryl Demo Anandan Muthiah Kunal Patel Stuart Tugendreich Jean Noel Demo Ajay Athavale	Show 10 et Individual Usage 1 2147483647 0 / 2147483647 0 0 / 2147483647 0 0 / 2147483647 0 0 / 2147483647 0 0 / 2147483647 0 0 / 2147483647 0
er Usage for QCI User Id 244359 21 258068 77816 244651 292735 293086	Interpret Exome Analysis 2 Username darnyi@demo.com anand.muthiah@qiagen.com kunal.patel@qiagen.com stuart.tugendreich@qiagen.com jeannoel@demo.com ajay.athavale@qiagen.com dan.richards@qiagen.com	Darryl Demo Darryl Demo Anandan Muthiah Kunal Patel Stuart Tugendreich Jean Noel Demo Ajay Athavale Daniel Richards	Show 10 eff Individual Usage 1 2 1 1 1/2147483647 1 1 0 0/2147483647 1 1 0 0/2147483647 1 1 0 0/2147483647 1 1 0 0/2147483647 1 1 0 0/2147483647 1 1 0 0/2147483647 1 1 0 0/2147483647 1 1



License Usage

This section shows you the activation and end date of your QCI Interpret license. Your QCI Interpret license consumption limit and usage is noted in the table above. In the example, the Group has an unlimited number of samples (2147483647) of which 1 sample has been consumed by all Group members.



User Usage for Sample Upload

This table displays the number of samples consumed per user within the Group. From this table you can see the individual consumption rate.

User Groups

The purpose of setting up multiple user groups is to restrict access to a set of samples and analyses to a specific group. For example, one group may be tasked to analyze somatic cases but should not be able to access samples and analyses that are specific to a second group that evaluates hereditary cases. Within the User Group tab for QDIAT you will find 3; (1) Administrators, (2) My User Groups, and (3) Manage Users in [group name]. These sections are described in more detail below.

AGEN [Digital Insights Admin Tool Users	QIAGEN Clinical Insight Interpret		About	mihaela.suteu@	qiagen.com
	L		User Groups	Use user groups to create subsets of users under the same licensing umbrella.		
	Groups 2	nt interpret 7 Oser Groups	Admini	strators 1		
All Use	r Groups Create User Group		Usern	ame 🔺	Name 🔶	Admin Type
Id	User Group Name	Show 10 v entries		ne.bueno@qiagen.com n.balint@qiagen.com	Christine Bueno Cristian Balint	SSO SSO
51976 51977	Somatic	©×		a.suteu@qiagen.com anacleto@qiagen.com	Mihaela Suteu Roslen Anacleto	License
	Hereditary 1 to 2 of 2 entries	Previous 1 Next		.pattanshetty@qiagen.com tugendreich@qiagen.com	Sachin Pattanshetty Stuart Tugendreich	SSO SSO
lanade	Users in Somatic 3					
	n Group All Users Search Users					
how 1	0 v entries				Search:	
	Search Username			Search Name		
0	Username aaron.mandel@qiagen.com			ame Iron Mandel		



Administrators

Displays a list of administrators that can manage the user groups within QCI Interpret. The administrator list is managed by Customer Support. If you wish to add/remove administrators, you must contact Customer Support via <u>TS-Bioinformatics@qiagen.com</u>.



My User Groups

The section displays a list of user groups. You can edit existing user groups by clicking the edit symbol. A window will pop up that allows you to edit the user group name.

		Show 10 v entries		Cancel Update
All User Groups	Create User Group			
All User Groups	Create User Group		rextestgroup	
User Groups			User Group Name	
			Created by rex.njoku@qiagen.com	

To create a new user group, navigate to "Create User Group" tab, fill out the required information and click "Create".

My User Groups								
All User Groups	Create User Group							
Create new user group and add users to it. Created by								
tina_qci_t@qiagen.	com							
User Group Name								
Oncology_Group								
Create								

3a) Users in User Group

This section displays all users that are part of the user group. Highlight the user group of interest to see its members.

My User	Groups		Administrators				
All User	Groups Create User Group		Username	Name 🚖			
		Show 10 🖌 entries	rex.njoku@qiagen.com	Rex Njoku			
Id	 User Group Name 	\$	tina_qci_t@qiagen.com	tina qci_t			
54145	rextestgroup	C					
79373	test_user_group	C					
Manage Users ir	Users in rextestgroup						
Show 1			Search:				
	Search Username Search Name						
0	Username		Name	\$			
0	mehis.pold.qcit@qiagen.com		qci-t mehis				
0	qci-t-tester10@qiagen.com		qci-t tester10				

The table is searchable by email and name.

Manage	Users in rextestgroup			
Users i	n Group All Users Search Users			
Show 1	0 v entries		Search:	
	mehis	۲	Search Name	
	Username		Name	÷
O	mehis.pold.qcit@qiagen.com		qci-t mehis	
Showing 1	1 to 1 of 1 entries (filtered from 19 total entries)		Previous 1	Next



Add Users to User Group

Navigate to the *All Users* tab and search by name or user name using the organizational email. To add users from your license, first check the box to the left of the member(s) you wish to add and then click on the "Add to User Group" button.

Manage U	Jsers in QCI_Test_Internal Group All Users Search Users					
Show 10	▼ entries			Search:	Adrļ	
	Search Username		Search Name			
	Username	•	Name			¢
	adrian.kung@qiagen.com		Adrian Kung			
-	to of 1 entries (filtered from 109 total entries)				Previous 1	Next
Add To U	Jser Group					

If you have hundreds of users on your license you can also navigate to "search users" tab and search users via your institutional address.



Remove Users from User Group

To remove users from a user group, first check the box to the left of the member(s) you wish to remove and then click on the "Remove From User Group" button.

Manage	Users in rextestgroup	
Users	in Group All Users Search Users	
Show	10 • entries	Search:
	mehis	Search Name
S	Username	Name \diamondsuit
8	mehis.pold.qcit@qiagen.com	qci-t mehis
Showing	1 entries (filtered from 19 total entries)	Previous 1 Next
Remov	re From User Group	

Once you remove a user from a specific group, he or she will not be able to access samples and analysis from that specific user group unless you add them again or share specific samples and analysis with this specific user.

User Features

In the User Features tab for QDIAT you will find 2 sections; (1) Features and (2) Manage Users with features. The User Features tab allows the license administrator to assign features to the users in the license group he/she manages. These sections are described in more detail below.

QIAGEN	Digital Insights Admin Tool Users	QIAGEN CI	inical Insight	Interpret			mihaela.sut	eu@qiagen.com	Logout
		Licenses	Sessions	Usage	User Groups	User Features			
Home	/ QIAGEN - QCI - Internal / QIAGEN Clinical In	isight Interpret	/ User Feat	ures					
Featur	es 1								
Show	10 v entries								
Direct	or 🤨								
MyQC	a 😧								
Showin	g 1 to 2 of 2 entries							Previous 1	Next
Manag	ge Users with Director features (2)								
User	s with features Users from group								
Show	10 v entries								
	Search Username					Search Name		Search Date	
	Username				\$	Name	\$	Added Date	\$
	sergiu.plesca@qiagen.com					Sergiu Plesca		Aug 25 2022	
0	testvcs_prod_director@ingenuity.com					testvcs_prod_direc	ctor test	Feb 08 2023	
	mihaela.vatamanu@qiagen.com					Mihaela Vatamanu		Jul 23 2020	

1

Features

Displays a list of available features. This list is managed by Customer Support. If you wish to add/remove available features, you must contact Customer Support via <u>TS-Bioinformatics@qiagen.com</u>. Possible values for QCII are:

🔝 feature 🔅	III description and the second s
MyQCI	Allows view of all 'Off-the-shelf' TPPS and reports template. CRUD of TPP based on license in their own license_group
Director	Allowes user to sign out reports
Administrator	QCI administrator feature to manage application level administration tasks

A description for each feature is available via a tooltip:



The license administrator can select one of the features from section 1 and then the view in section 2 gets refreshed.



Manage Users with features

This section allows the license administrator to assign or remove features from specific users.

The feature will first be selected from section 1. The title in section 2 gets refreshed based on the previous selection.

QIAGEN Digital Insights Admin Tool Users Licenses Usage User Groups User Feature	ionel.marincas@qiagen.com Logout
Show 10 v entries	
Director	
MyQCI 🖸	
Administrator 📀	
Showing 1 to 3 of 3 entries	Previous 1 Next
Manage Users with Administrator features	
Users with features Users from group	

There are two tabs on this section: one that shows users having assigned the feature selected in section 1 and another tab which displays all the users in the license group to whom the feature could be assigned to.

Assigning a feature to a user

IAGEN Digital Insi	ghts Admin Tool	Users	Licenses	Usage	User Groups	User	Features	ic	nel.marincas@qiagen.com	Logo
Show 10 🗸 entrie		Assign featu	ure(s) to	user(s)				×		
Director O		Do you want	to assign th	ne selected	feature(s) to the s	selected	d user(s)?			
Administrator 😡										
Showing 1 to 2 of 2 er	itries						Cancel Assign		Previous 1	Next
Manage Users with	Director features									
Users with features	Users from grou	ıp								
Show 10 🗸 entrie	IS									
	Search Username						Search Name		Search Date	
□ ▲	Username						Name		Added Date	
D	ioneltest@testsss.c	om					IonelTest ssdsa		Oct 09 2020	
O	ioneltestuser@qgn.	com					User Detest		Oct 09 2020	
S	ioneltest@test.com						IonelTest Detest		Oct 09 2020	

Removing a feature from a user

AGEN Digital Ins	ights Admin Tool	Users Licenses Usage User Groups Use	er Fe	atures	ione	l.marincas@qiagen.com	Logo
Home / DEMO - US/		Remove feature(s) from user(s)		×			
Features		Do you want to remove the selected feature(s) from the sel	lecte	d users(s)?			
Show 10 🗸 entrie	es						
Director Q				Cancel Remove			
MyQCI 🕑							
Showing 1 to 3 of 3 er	ntries					Previous 1	Next
Manage Users with	h Administrator fea	tures					
Users with features	Users from grou	p					
Show 10 v entrie	es						
	Search Username			Search Name		Search Date	
٭ ک	Username			Name		Added Date	
				Mihaela Suteu		Apr 17 2022	

SSO Configuration

The SSO Configuration tab allows the SSO Administrator to configure SSO for his/her company and to manage users by enabling/disabling the SSO process for them.

QIAGEN Digital Insights Admin Tool	Home	SSO configuration	mihaela.suteu@qiagen.com	Logout
		M		
Home				
My Licensing Groups				
QIAGEN - IPA - Internal				
QIAGEN - QCI - Internal				
QIAGEN - MyQDI - Internal				

SSO Administrator: this is typically the buyer's IT person who configures and manages the institutions single sign-on with QDI's product offerings. To configure SSO for your institution reach out to <u>TS-Bioinformatics@qiagen.com</u>. We support multiple SSO Administrators.

Qiagen Digital Insights is an identity provider that offers authentication with security measures such as complex passwords, password expiration, 2 factor authentication. One user account in our identity store can access all QDI products as listed above in the Introduction.

Customers have the option to use their own identity provider for authentication through QDI's Single Sign-on (SSO). SSO allows you to login using your company credentials. Qiagen's SSO is based on SAML 2.0, more specifically, the Service Provider-Initiated SAML Flow.

Once SSO is configured, the SSO Administrator is responsible for all communication and authentication related issues/queries for their users.

Prerequisites

- Send a request to <u>TS-Bioinformatics@qiagen.com</u>
 - o with first name, last name, and email ID of the SSO Administrator
 - list of domains for SSO

An SSO administrator will be created by the QDI customer support team and in order to gain access to the SSO configuration tab, a special license will be assigned.

Creating a new configuration

On the right side panel you can find detailed instructions on how to create and setup a new SSO configuration for your company.

On the left side panel, in the My SSO Configs section you will find a list of your current SSO configurations. You can click on the Add new SSO config to create a new one.


There is also a table that lists all the administrators defined on the group.

SSO configuration			
My SSO Configs			SSO instructions
ion.com			Overview
keycloak.com			Single sign-on allows you to login using your company credentials. QIAGEN single sign-on (SSO) is based on SAML 2.0. QIAGEN can
qiagen.com contractor.qiagen.com			map attributes to provision a user to different group with feature controls. QIAGEN acts as the Service Provider (SP), and it's capable of offering automatic user provisioning. In case auto-provisioning is
Add New SSO config			enabled, then you do not need to register as a user in QIAGEN. Once QIAGEN receives a SAML response from the identity Provider (idP), QIAGEN checks if this user exists. If the user does not exist, QIAGEN creates a user account automatically with the received name ID.
~~~			This article covers:
Administrators			Configuring SSO     Enabling SSO
Username	Name 4	Admin Type	Vou can download QIAGEN service provider public certificate used for SAML signing from here
diana.stanila@qiagen.com	Diana Stanila	SSO	Configuring SSO
gabriel.padurean@qiagen.com	Gabriel Padurean	SSO	First, enter your SSO information
ionel.marincas@qiagen.com	ionel Marincas	License, SSO	Domain name(s): <domains do="" for="" sso="" to="" want="" which="" you="">     Identity provider id: <id entitydescriptor="" of=""></id></domains>
suteum@qiagen.com	Miha Suteu	SSO	<ul> <li>Identity provider metadata xml: <ldentity metadata="" provider="" xml=""> Note: The metadata xml should be provided to you from the IT department of your company</ldentity></li> </ul>
			Email attribute name: <name attribute="" email="" of=""> Note: The name of attribute should be provided to you from the IT</name>
			department of your company First attribute name: <name attribute="" first="" name="" of=""> Note: The name of attribute should be provided to you from the IT</name>
			department of your company <ul> <li>Last attribute name: <name attribute="" last="" name="" of=""> Note: The name of attribute should be provided to you from the IT</name></li> </ul>
			department of your company
			Enabling SSO
			Second, download our metadata and enable SSO
			Note Once configured you'll have to download the SP metadata XML.     Enable SSO
			Enabling SSO users
			Third, enable SSO login for existing users
			Note By default existing users will not be able to login with SSO. They have to be changed

There are three steps for setting up a new SSO configuration.

#### SSO Config: step 1

The configuration step requires you to choose one or multiple domain(s). The available domains are the ones setup by customer support at the time the SSO administrator was created. If you cannot find the domain you are looking for please reach out to customer support for any changes. Please observe the instructions on the right side panel for the information required in the form.



If the Automatic user provisioning is checked this means that all new users signing in to Qiagen via your company's identity provider will gain access to the Qiagen products by having accounts automatically created in the Qiagen system and added to your license group.

#### SSO Config: step 2

The 2nd step allows you to preview the configuration, choose the license group for auto provisioning and enable the SSO configuration. After selecting the domain(s) a service provider metadata URL will get displayed and it will allow for the QIAGEN metadata data file to be downloaded locally. This is also the step from which an existing SSO configuration can be disabled by clicking on the *Disable* button. A right side panel is also available with more information on this.

QIAGEN Digital Insights Admin Tool Home SSO configuration Users		ionel.marincas@qiagen.com Logou					
SSO configuration / demodomain.com							
(1) Cenfigure SSO	2 Edit SSO configurat	(3) Enable SSO users					
View SSO configuration for domain(s)	SS	30 instructions					
Domain Name(s) demodomain.com	0	lverview					
Download QIAGEN service provider metadata		igle sign-on allows you to login using your company credentials. QIAGEN single sign-on (SSO) is based on SAML 2.0. QIAGEN can					
Entity Id		p attributes to provision a user to different group with feature controls.					
demodomain.com	ena (IdF	AGEN acts as the Service Provider (BP), and it's capable of offering automatic user provisioning. In case auto-provisioning is abled, then you do not need to register as user in QAGEN. Once QAGEN reviews a SAML response from the identity Provider P), QAGEN checks if this user exists. If the user does not exist, QAGEN creates a user account automatically with the received me ID.					
Identity metadata xml		is article covers:					
xml version="1.0" encoding="UTF-8" standalone="yes"? <entitiesdescriptor< td=""><td></td><td>Configuring SSO     Enabling SSO</td></entitiesdescriptor<>		Configuring SSO     Enabling SSO					
xmlns="urn:coasis:namest:c:SAML2.0:metadata" xmlns:xsl="http://www.w3.org/2001/XMLSchema-instance" Name="http://neuruly.com"		Enabling SSO You can download QIAGEN service provider public certificate used for SAML signing from here					
verme= ntp://ngenuty.com verbehand.acetin_timeselenamentalSAML-2.0imetadata.ecto.com/.echoma.metadata. Choose file No file chosen	20 ved li	Configuring SSO					
		st, enter your SSO information					
Email attribute name email		Domain name(s): <domains do="" for="" sso="" to="" want="" which="" you=""></domains>					
Enter name of attribute for email address sent in SAML response.		Identity provider id: <id entitydescriptor="" of="">     Identity provider metadata xml: <identity metadata="" provider="" xml=""> Note: The metadata xml should be provided to you from</identity></id>					
First name attribute name		the IT department of your company <ul> <li>Email attribute name: <name attribute="" email="" of=""> Note: The name of attribute should be provided to you from the IT</name></li> </ul>					
firstname		department of your company  First attribute name: <name attribute="" first="" name="" of=""> Note: The name of attribute should be provided to you from the IT</name>					
Enter name of attribute for first name sent in SAML response.		department of your company - Last attribute name: <a href="https://www.efiles.com">https://www.efiles.com</a> department of your company					
Last name attribute name lastname							
Enter name of attribute for last name sent in SAML response.		nabling SSO					
Automatic user provisioning		cond, download our metadata and enable SSO  • Note Once configured you'll have to download the SP metadata XML.					
When this will be checked users will be automatically assigned to unlimited site licenses.		Enable SSO					
	E	nabling SSO users					
Show 10 v entries		ird, enable SSO login for existing users					
License group name Application name	¢	Note By default existing users will not be able to login with SSO. They have to be changed					
Demo - IPA and My Findings     Ingenuity Views and Re	ports						
Demo Findings Internal Group     Ingenuity Views and Re	ports						
S SSO Config for Demo Ingenuity Views and Re	ports						
Showing 1 to 3 of 3 entries	Previous 1 Next						
Save							

#### SSO Config: step 3

The 3rd step allows you to move users between two lists: one that is SSO enabled – meaning that users will sign in using your company identity provider and the other which is SSO disabled meaning that users will continue to sign in via Qiagen system.

In order to do this, you need to click on the checkbox next to the username and then use the arrows highlighted below to submit the action. The left and right side lists will refresh automatically after this.

IAGEN Digital Insights Admin Tool	Home SSO	configuration Users							demossoadmin@dem	iodomain.com	Logo
SSO configuration / demodomain.com											
Configur			2 Disable SSO configuratio	n		$\leftarrow$		Enab	3 le SSO users	•	
Users with demodomain.com in our s	ystem								•••		
Users with demodomain.com available fo	r SSO	Search:			I demodomain.co	m having SSO	enabled		Search:		
Show 10 V entries		Search:		Show 10	✓ entries				Search:		
Username	Full Name	Active licenses	÷	0	Username		Full Name	÷	Active licenses		÷
demossoadmin@demodomain.com	Demo SSOAdmin	QDI Admin Tool, User Manager Application	>				No data availa	ble in table			
foe.black@demodomain.com	Joe Black	Ingenuity Pathway Analysis, Ingenuity Views and Reports	<	Showing 0	to 0 of 0 entries					Previous	Next
mary.white@demodomain.com	Mary White	Ingenuity Pathway Analysis, Ingenuity Views and Reports									
to t	Tom Jones	Ingenuity Pathway Analysis, Ingenuity Views and Reports									
Showing 1 4 oventries		Previous 1 Next	1								

#### How to navigate between the SSO configuration steps

Use the arrows between the steps to move from one step to the other.

QIAGEN Digital Insights Admin Tool	SSO configuration	Users		demossoadmin@demodomain.com	Logout
SSO configuration / demodomain.com					
1 Configure SSO		2 Disable SSO configuration	$\leftarrow$	3 Enable SSO users	
Users with demodomain.com in our sys	stem		M		

Changes to current support process for authentication related issues

When SSO is enabled, the SSO admin is responsible for all authentication related communication to their users.

Once QIAGEN assigns SSO admin for their domains/institution, QIAGEN will no longer reply/support authentication questions from those domains/institutions.